



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/835,170	04/13/2001	Spencer Gold	P5213/SMQ-041	4882
46141	7590	06/02/2006	EXAMINER	
LAHIVE & COCKFIELD, LLP 28 STATE STREET BOSTON, MA 02109			CHAUDRY, MUJTABA M	
			ART UNIT	PAPER NUMBER
			2133	

DATE MAILED: 06/02/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/835,170	Applicant(s) GOLD, SPENCER	
	Examiner Mujtaba K. Chaudry	Art Unit 2133	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 April 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6 and 24-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6 and 24-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Applicants' response was received April 3, 2006.

- Claims 1-6 and 24-29 stand rejected.
- A new ground of rejection is made.

Application pending.

Response to Amendment

Applicant's arguments with respect to claims 1-6 and 24-29 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.


Claims 1 and 24 are rejected under 35 U.S.C. 102(e) as being anticipated by Nakamura (USPN 6523135).

As per claim 1, Nakamura teaches (Figure 1 and col. 3) a BIST circuit 11, a test mode controller 12, a RAM interface 13, an address counter 15 and a bitmap converter 16. The BIST circuit 11 is built in a DRAM 17 or in a system LSI including a DRAM 17 for testing the

Art Unit: 2133

function of the DRAM 17. In the BIST circuit 11, the configurations for allowing the DRAM 17 to operate in a burst mode with a specified burst length, as well as in the CAS (column address strobe) latency, are determined by the user. The BIST circuit 11 consecutively generates a plurality of test patterns for testing the DRAM 17. The test mode controller 12 includes the mode counter 19, and also includes a first decoder 20 for generating an Up/Down control signal "Up/Dn", a second decoder 21 for generating a read/write selection signal "R/W sel", i.e., a read, write or read/write signal for selecting a read mode, a write mode or a read/write mode, a third decoder 22 for generating write data "dataw", and a fourth decoder 23 for generating expected data "datae" for read data, all based on a count, or common control signal "Ccs", output by the mode counter 19. The Examiner would like to point out that Nakamura teaches (col. 3, lines 46—col. 4, lines 1-6) various test pattern generation techniques, wherein physical addresses are generated. Nakamura also teaches (Figure 1) the Bitmap converter 16 to enable writing to test data to the memory, by converting the physical address in the memory to a logical address. See Figure 1:

FIG. 1



As per claim 24, Nakamura teaches (Figure 1 and col. 3) a BIST circuit 11, a test mode controller 12, a RAM interface 13, an address counter 15 and a bitmap converter 16. The BIST circuit 11 is built in a DRAM 17 or in a system LSI including a DRAM 17 for testing the function of the DRAM 17. In the BIST circuit 11, the configurations for allowing the DRAM 17 to operate in a burst mode with a specified burst length, as well as in the CAS (column address strobe) latency, are determined by the user. The BIST circuit 11 consecutively generates a plurality of test patterns for testing the DRAM 17. The test mode controller 12 includes the mode counter 19, and also includes a first decoder 20 for generating an Up/Down control signal "Up/Dn", a second decoder 21 for generating a read/write selection signal "R/W sel", i.e., a read, write or read/write signal for selecting a read mode, a write mode or a read/write mode, a third decoder 22 for generating write data "dataw", and a fourth decoder 23 for generating expected data "datae" for read data, all based on a count, or common control signal "Ccs", output by the

Art Unit: 2133

mode counter 19. The Examiner would like to point out that Nakamura teaches (col. 3, lines 46—col. 4, lines 1-6) various test pattern generation techniques, wherein physical addresses are generated. Nakamura also teaches (Figure 1) the Bitmap converter 16 to enable writing to test data to the memory, by converting the physical address in the memory to a logical address.

Claim Rejections - 35 USC § 103

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 2-6 and 25-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakamura (USPN 6523135).

As per claims 2-4, Nakamura substantially teaches, in view of above rejections, (Figure 1) a RAM interface 13, which is coupled to the conversion circuit 16. Nakamura teaches (col. 4, lines 37-35) the RAM interface 13 includes a write circuit 25, a read circuit 26, read/write circuit 27 and a refreshing circuit 28, and executes a sequence of read, write or read/write operation by generating data and control signals for the read, write or read/write operation. The refreshing circuit 28 is activated each time the address counter 15 delivers 100 addresses, for example, to refresh data in all the memory cells of the DRAM 17. The Examiner would like to point out that although Nakamura does not explicitly teach the RAM interface to include ROM or EEPROM,

Art Unit: 2133

these memory types are well known in the art to be used for reading data at a rapid pace as is done in testing.

As per claims 5-6, Nakamura substantially teaches, in view of above rejection, (col. 3, lines 43-45) to test the memory based on a wide variety of test patterns that are generated by any combination of column bars, checker board, marching, shifted diagonal, butterfly, walking and galloping. These variations allow testing for spatial locality of faults as well as transitional faults.

As per claims 25-27, Nakamura substantially teaches, in view of above rejections, (Figure 1) a RAM interface 13, which is coupled to the conversion circuit 16. Nakamura teaches (col. 4, lines 37-35) the RAM interface 13 includes a write circuit 25, a read circuit 26, read/write circuit 27 and a refreshing circuit 28, and executes a sequence of read, write or read/write operation by generating data and control signals for the read, write or read/write operation. The refreshing circuit 28 is activated each time the address counter 15 delivers 100 addresses, for example, to refresh data in all the memory cells of the DRAM 17. The Examiner would like to point out that although Nakamura does not explicitly teach the RAM interface to include ROM or EEPROM, these memory types are well known in the art to be used for reading data at a rapid pace as is done in testing.

As per claims 28-29, Nakamura substantially teaches, in view of above rejection, (col. 3, lines 43-45) to test the memory based on a wide variety of test patterns that are generated by any combination of column bars, checker board, marching, shifted diagonal, butterfly, walking and galloping. These variations allow testing for spatial locality of faults as well as transitional faults.

Art Unit: 2133

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Additional pertinent prior arts are included herein for Applicant's review.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mujtaba K. Chaudry whose telephone number is 571-272-3817. The examiner can normally be reached on Mon-Thur 9-7:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert DeCady can be reached on 571-272-3819. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Mujtaba Chaudry
Art Unit 2133
May 24, 2006



ALBERT DECADY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100